

SPECIMEN INFORMATION

SPECIMEN:
REQUISITION:
LAB REF NO:

DOB:
AGE:
GENDER:
FASTING:

Clinical Info:

ORDERING PHYSICIAN

CLIENT INFORMATION

DirectLabs
4040 Florida St.
Ste 101
Mandeville, LA 70448

COLLECTED:
RECEIVED:
REPORTED:

Test Name	Result	Flag	Reference Range	Lab
-----------	--------	------	-----------------	-----

ANTI MULLERIAN HORMONE ASSESSR(TM)

ANTI MULLERIAN HORMONE ASSESSR(TM)	<0.03		ng/mL	02
------------------------------------	-------	--	-------	----

REFERENCE RANGES for AMH/MIS:

	Age	Expected range (ng/mL)

Female:	<14 yrs	0.49-3.15
	14-19 yrs	1.28-16.37
	20-29 yrs	0.76-11.34
	30-39 yrs	<9.24
	40-49 yrs	<4.50
	> 49 yrs	<0.45
Male:	<1 yr	37.20-345.67
	1-6 yrs	59.54-320.65
	7-11 yrs	40.99-203.67
	12-17 yrs	<128.29
	> 17 yrs	1.15-15.23

This test(s) was developed and its performance characteristics have been determined by Quest Diagnostics Nichols Institute, Valencia, CA. Performance characteristics refer to the analytical performance of the test. For more information on this test, go to: <http://education.QuestDiagnostics.com/faq/FAQ137>

Performing Laboratory Information:

01: Quest Diagnostics-Atlanta, 1777 Montreal Circle, Tucker GA, phone:
 Medical Director: William Miller
 02: Quest Diagnostics-Nichols Valencia, 27027 Tournay Rd, Valencia CA, phone:
 Medical Director: MD, FCAP Basel Kashlan