

SPECIMEN INFORMATION

SPECIMEN:  
REQUISITION:  
LAB REF NO:

DOB:  
AGE:  
GENDER:  
FASTING:

Clinical Info:

ORDERING PHYSICIAN

CLIENT INFORMATION

DirectLabs  
4040 Florida St.  
Ste 101  
Mandeville, LA 70448

COLLECTED:  
RECEIVED:  
REPORTED:

---

Test Name	Result	Flag	Reference Range	Lab
-----------	--------	------	-----------------	-----

**CASEIN (F78) IGG**

CASEIN (F78) IGG	12.8	HIGH	< 2.0 mcg/mL	01
------------------	------	------	--------------	----

This test(s) was performed using a kit that has not been cleared or approved by the FDA. The analytical performance characteristics of this test have been determined by Quest Diagnostics Nichols Institute, Valencia, CA. This test, and any food specific allergen IgG result, should not be used for the diagnosis of allergic or atopic disease states (except for sensitivity to milk in neonates and gluten sensitivity). The use of food specific allergen IgG results should be restricted to the assessment of response to therapeutic interventions.

---

**Performing Laboratory Information:**

01: Quest Diagnostics-Nichols Valencia, 27027 Tourney Rd, Valencia CA, phone:  
Medical Director: MD, FCAP Basel Kashlan