

SPECIMEN INFORMATION

SPECIMEN:  
REQUISITION:  
LAB REF NO:

DOB:  
AGE:  
GENDER:  
FASTING:

Clinical Info:

ORDERING PHYSICIAN

CLIENT INFORMATION

DirectLabs  
4040 Florida St.  
Ste 101  
Mandeville, LA 70448

COLLECTED:  
RECEIVED:  
REPORTED:

Test Name	Result	Flag	Reference Range	Lab
-----------	--------	------	-----------------	-----

FASTING: YES

**MICROALBUMIN, RANDOM URINE (W/CREATININE)**

CREATININE, RANDOM URINE	214		20-320 mg/dL	01
MICROALBUMIN	56.5		See Note: mg/dL	01

Reference Range:

Reference Range  
Not established  
Verified by repeat analysis.

MICROALBUMIN/CREATININE RATIO,	264	HIGH	<30 mcg/mg creat	01
--------------------------------	-----	------	------------------	----

The ADA defines abnormalities in albumin excretion as follows:

Category	Result (mcg/mg creatinine)
Normal	<30
Microalbuminuria	30-299
Clinical albuminuria	> OR = 300

The ADA recommends that at least two of three specimens collected within a 3-6 month period be abnormal before considering a patient to be within a diagnostic category.

**Performing Laboratory Information:**

01: Quest Diagnostics-West Hills, 8401 Fallbrook Ave, West Hills CA, phone:  
Medical Director: MD Enrique Terrazas