

SPECIMEN INFORMATION

SPECIMEN:

REQUISITION:

Lab ref no:

DOB:

AGE:

GENDER:

FASTING:

ORDERING PHYSICIAN

CLIENT INFORMATION

DirectLabs

4040 Florida St.

Ste 101

Mandeville, LA 70448

COLLECTED:

RECEIVED:

REPORTED:

Clinical Info:

Test Name	Result	Flag	Reference Range	Lab
HSV, TYPE 1 AND 2 DNA, QN REAL TIME PCR				
SOURCE	SERUM	NORMAL		01
HSV 1 DNA, QN PCR	<100	NORMAL	copies/mL	01
HSV 2 DNA, QN PCR	<100	NORMAL	copies/mL	01
REFERENCE RANGE: <100 HSV-1 copies/mL				
<100 HSV-2 copies/mL				

This test was developed and its analytical performance characteristics have been determined by Quest Diagnostics Infectious Disease. It has not been cleared or approved by FDA. This assay has been validated pursuant to the CLIA regulations and is used for clinical purposes.

Performing Laboratory Information:

01: Quest Diagnostics-Infectious Disease, Inc, 33608 Ortega Highway, Building B-west Wing, San Juan Capistrano CA, phone: , Director: MD Hollis J Batterman